## Department of Health & Human Services Centers for Medicare & Medicaid Services

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION NAME OF PROVIDER OR SUPPLIE	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 676052	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing STREET ADDRESS, CITY, STATE, ZI	(X3) DATE SURVEY COMPLETED 01/11/2014 P CODE
Immanuel's Healthcare		4515 Village Creek Rd Fort Worth, TX 76119	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
	No health deficiencies found		
Level of Harm - Unknown			
Residents Affected - Unknown			

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Facility ID: 676052