STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145439	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/03/2022
NAME OF PROVIDER OR SUPPLIER Accolade Healthcare of Savoy		STREET ADDRESS, CITY, STATE, ZIP CODE 302 West Burwash Savoy, IL 61874	
For information on the nursing home's	plan to correct this deficiency, please con	tact the nursing home or the state survey	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0686 Level of Harm - Immediate jeopardy to resident health or safety Residents Affected - Few	 34058 Based on observation, interview, a pressure ulcer dressing and failed failure affects two residents (R15 a Findings include: R15's Physician Order Sheet da This same Physician Order Sheet da Chormal saline/ wound cleanser), p calcium alginate, apply silicone foa order document, Every night shift fi This same Physician Order Sheet de limit sitting to 60 minutes. On 4/28/22 at 3:13 pm, R15 was pressing on my sore, but I can't see that. On 4/29/22 at 2:25 pm, R15 was in degrees, positioning R15 in a sittin the bed elevated approximately 45 R15's current Care Plan document mobility. This same Care Plan document for the position of the plan document for the position of the plan document for the plan docume	r care and prevent new ulcers from dev nd record review, the facility failed to in to position a resident to reduce pressu and R16) out of three reviewed for pres ted 4/28/22 documents R15 was origin documents, Stage 4 pressure wound o at dry, apply skin prep to peri-wound, p im, change daily and PRN (as needed) or 30 days. This physician ordered dre documents, Turn side to side and front ositioned in bed supine with the head of tting position. R15 stated, I do have ar for over a year. R15 further stated, Th to short of help. R15 also stated, I know e it to know if there is one on or not. Th to bed, supine, with the head of the bed g position. On 5/3/22 at 9:32 am, R15 degrees, positioning R15 in a sitting p s, (R15) requires assistance with activ uments, (R15) has a stage 4 pressure amily/ caregivers on the causes of skir of frequent repositioning; monitor dress g to treatment nurse; the resident need	nplement a physician ordered re and shear to existing ulcers. This sure ulcers on the sample of 41. ally admitted to the facility 6/17/20. f the sacrum, cleanse with NS/WC back with collagen sheet, cover with 0. The directions for this dressing ssing had a start date of 4/18/22. to back in bed every 1 - 2 hours, of the bed elevated approximately n open sore on my butt. I had it the staff doesn't really turn and w there is supposed to be a the nurses would know more about elevated approximately 45 was in bed, supine with the head of osition. ities of daily living including bed ulcer sacrum: administer treatments to breakdown including positioning ing each shift to ensure it is intact

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE

Printed: 02/22/2025 Form Approved OMB No. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145439	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/03/2022
NAME OF PROVIDER OR SUPPLIER Accolade Healthcare of Savoy		STREET ADDRESS, CITY, STATE, ZIP CODE 302 West Burwash Savoy, IL 61874	
For information on the nursing home's	plan to correct this deficiency, please con	tact the nursing home or the state survey	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0686 Level of Harm - Immediate jeopardy to resident health or safety Residents Affected - Few	turn in bed to examine the pressure centimeters (CM) long by 0.75 cm of pressure wound. V17 stated, I conf (incontinent undergarment). I would to be there because the wound door shift. 2) On 4/29/22 at 8:50 am, R16 was	sed Practical Nurse, and V18, Certified e wound on R15's sacrum. R15's sacru wide by 0.5 cm deep. There was not a firm there is no dressing present, and I d have to look in the computer to know ctor changes the order frequently and the s in bed, supine with the head of the be	m had an ulcer approximately 0.75 dressing in place on R15's sacrum don't see it on the bed or in (R15's what type of dressing is supposed he dressings get changed on night d elevated approximately 70
	 degrees. R16 had 2 pillows under R16's knees, positioning R16 with flexed knees. R16's heels w contact with the bed surface, and R16's feet were in direct contact with the wooden foot board of R16 stated, I have open sores on both feet on the heels, and I have one on my bottom. On 4/29/22 at 2:25 pm, R16 was in bed, supine with the head of the bed elevated approximately R16 had 2 pillows under R16's knees, positioning R16 with flexed knees. R16's heels were in direct contact with the set of the bed support of the set of the bed support of the bed support of the set of the set of the set of the bed set of the set		
	R16's Physician Order Sheet (POS left heel, cleanse with NS/ WC (nor foam, change weekly and PRN (as shift with a start date of 4/22/22. Th cleanse with NS/ WC, pat dry, appl peri-wound, apply silicone foam, ch shift for 17 days with a start date of toe, cleanse with NS/ WC, paint wit shift for 12 days with a start date of	t were in direct contact with the wooder a) dated 4/28/22 documents, Unstageal mal saline/ wound cleanser), apply skii needed). This treatment order had direct is same POS documents, Stage 4 pre- y Santyl ointment to wound bed then a nange daily and PRN. This treatment or f 4/22/22. This same POS documents, th betadine once daily and PRN. This c f 4/18/22. This same POS documents, stadine daily and PRN. this treatment of f 4/18/22.	ble DTI (Deep Tissue Injury) of the n prep to heel, cover with silicone ections for every Wednesday night ssure wound to the right heel, pply calcium alginate, skin prep to rder had directions for every night Arterial wound of the right second order had directions for every night Arterial wound of the right distal
		bed, supine with the head of the bed el r R16's knees. R16's heels were in dire th the foot board of the bed.	
	head of the bed is up too high. (R1 the foot board. V22 further stated, ((R16's) feet off the foot board and t to elevate the foot of the bed when V22 continued, The pillows should when the pillows are under the kne	ed Practical Nurse, stated, I see (R16's 6) has slid down so far (R16) isn't comt (R16's) feet touching the foot board ma hen (R16's) heels are on the bed. I tell they elevate the head because that wi go under (R16's) calves because that w es, that makes (R16) flex his knees an	ortable and (R16's) feet touch into kes (R16) flex the knees to keep them (Certified Nursing Assistants Il keep (R16) from sliding down. will keep (R16's) heels floated,
	(continued on next page)		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145439	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/03/2022	
NAME OF PROVIDER OR SUPPLIER Accolade Healthcare of Savoy		STREET ADDRESS, CITY, STATE, ZIP CODE 302 West Burwash Savoy, IL 61874		
For information on the nursing home's p	plan to correct this deficiency, please cont	act the nursing home or the state survey a	agency.	
(X4) ID PREFIX TAG				
F 0686 Level of Harm - Immediate jeopardy to resident health or safety Residents Affected - Few	ne's plan to correct this deficiency, please contact the nursing home or the state surves of the superior and inferior left buttock, unstageable of heels: The resident requires the bed to be as flat as possible to reduce resident/family/caregiver about the causes of skin breakdown includin frequent repositioning; the resident needs monitoring/ reminding/ assi hours. The facility's policy Prevention of Pressure Ulcers dated 1/28/22 docu 2 hours; raise the head of the bed as little and for as short a time as parteratments/ medical necessity; consider off-loading every hour if the hed or gress; when in bed, every attempt should be made to float heels (kep illows from the knees to the ankles.		to necrosis of the left and right ear; educate the esitioning requirements and ce to turn and reposition every 2 ts, Change position at least every ble and only as needed for meals/ of the bed is greater than 30	

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145439	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/03/2022
NAME OF PROVIDER OR SUPPLIER		STREET ADDRESS, CITY, STATE, ZIP CODE	
Accolade Healthcare of Savoy		302 West Burwash Savoy, IL 61874	
For information on the nursing home's	plan to correct this deficiency, please con	l tact the nursing home or the state survey	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0689 Level of Harm - Minimal harm or	Ensure that a nursing home area is free from accident hazards and provides adequate supervision to prevent accidents.		
potential for actual harm	**NOTE- TERMS IN BRACKETS F	AVE BEEN EDITED TO PROTECT C	ONFIDENTIALITY** 34058
Residents Affected - Few	Based on record review and interview, the facility failed to complete a fall risk assessment, failed to accurately complete a fall risk assessment, and failed to implement a new intervention after a fall. These failures affect one resident (R4) out of three reviewed for falls on the sample of 41.		
	Findings include:		
	R4's Assessment List dated 5/3/22 documents R4 received a fall risk assessment 7/29/21. There were no other fall risk assessments since 7/29/21.		
	On 5/3/22 at 2:40 pm, V2 and V3, Co-Directors of Nursing, along with V12, Registered Nurse/Unit I all stated, We do the fall risk assessments quarterly, along with the timing of the MDS (Minimum Da R4's MDS List dated 5/3/22 documents R4 has had 3 MDS completed since 7/30/22, on 10/22/21, and 4/22/22.		
	R4's fall risk assessment dated [DA	ATE] documents R4 had not experience	ed a fall in the past 3 months.
	R4's Nurse's Notes dated 6/5/21 document, Noise heard at nurses' station, resident fell out of bed and skinned right calf, no blood present, did not hit head, anticipate bruising, refused pain meds.		
	R4's Post-Fall Evaluation dated 6/5/21 documents, fell while reaching for an item, skinned right calf, pain left shin.		
	R4's current Care Plan for fall risk documents the most recent entry or revision was completed on 1/12/21. There was not any new intervention related to R4's fall on 6/5/21.		
	The facility's policy Falls Prevention Policy dated 1/2022 documents, Post fall incidents: attempt to identify the root cause of the fall and contributing factors; based on this assessment, the staff and physician will identify pertinent interventions to try to prevent future falls.		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145439	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/03/2022
NAME OF PROVIDER OR SUPPLIER Accolade Healthcare of Savoy		STREET ADDRESS, CITY, STATE, ZIP CODE 302 West Burwash Savoy, IL 61874	
For information on the nursing home's	plan to correct this deficiency, please cont		agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0725 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some	 Provide enough nursing staff every charge on each shift. 34058 Based on observation, interview, ar numbers of nursing staff to meet the responses to residents' requests fo first-floor general residential unit (R resident (R1) on the sample of 41. Findings include: On 4/28/22 at 8:53 am and 9:37 am facility's first floor general residentiat The facility's Resident Roster dated residential unit (R2, R5, R6, R8, R9 documents R1 was originally admit On 4/28/22 at 9:39 am, R2 stated, M minutes but I have waited up to an had a meeting with an Ombudsmar to call her directly. So, I try to give p (V1). R2 then displayed his cell phot time R2 activated the nurse call light the nurse call light. R2 further state are four records for over an hour wa have to call (V1), what happens to falways say they are short-staffed a overtime because someone called On 4/28/22 at 10:05 am, V7, Regist another one scheduled. I am the or On 4/28/22 at 10:05 am, a nurse call On 4/28/22 at 10:06 am, V8, CNA, on the first floor, I think there is ano CNAs working like today, then the state on the or on the some on the total way the some on the som	day to meet the needs of every reside and record review, the facility failed to pre- e daily care needs for residents, include r assistance. This failure affects each of 2, R5, R6, R8, R9, R10, R11, and R18 and unit. At 9:37 am, V9 stated, I am the 4 4/28/22 documents 31 residents reside 0, R10, R11, and R18 through R41). R ted to the facility 1/27/22 and discharge Waiting for someone to answer a call lifthour regularly and one time 2 and a har n (V5) and the Administrator (V1). (V1) beople the benefit of the doubt and I was an (V5) and the Administrator (V1). (V1) beople the benefit of the doubt and I was and time R2 called V1, and what time d, You can see I started keeping this re- aiting for someone to answer my light. the people that can't call (V1). When sec nd can't give the showers, and how the off. tered Nurse, stated, I think I only have all light was noted to be activated by th stated, I just came in to work at 10:00 other one here. At 3:35 pm, V8 further sec showers don't get done. I try to answer the residents end up waiting. V8 continue	nt; and have a licensed nurse in rovide services utilizing sufficient ing provision of showers and timely of 31 residents residing on the a through R41), and one discharged stant (CNA, V9) working on the only CNA working the first floor. Iting on the first-floor general I's Census Detail dated 4/29/22 ed from the facility 3/22/22. ght can take a minimum of 30 alf hours. I complained about it, we told me if I was having a problem ait about 15 minutes before I call /1 along with the record of what me a staff member responded to ecord on Sunday 4/10/22 and there R2 continued by stating, I shouldn' omeone does come answer, they are working double shifts and one CNA, but there may be igh, especially with showers to do. e door of R5's room. am, I don't think I am the only CNA stated, If there are only one or two the call lights as quickly as I can

Printed: 02/22/2025 Form Approved OMB No. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION NAME OF PROVIDER OR SUPPLIE Accolade Healthcare of Savoy	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145439	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing STREET ADDRESS, CITY, STATE, ZI 302 West Burwash Savoy, IL 61874	(X3) DATE SURVEY COMPLETED 05/03/2022 P CODE
For information on the nursing home's	plan to correct this deficiency, please con	l tact the nursing home or the state survey a	agency.
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
F 0725 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some	Savoy, IL 61874 a's plan to correct this deficiency, please contact the nursing home or the state survey agency. SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information) On 4/28/22 at 10:25 am, R8 stated, The call lights can take anywhere from 30 minutes to four hours for someone to come answer it. A lot of times someone will come in to answer the call light, turn off the light		er the call light, turn off the light and in again and wait again. R8 further iday, but I don't get them that way. ys on day shift, but I wasn't getting t staff were telling me they have so itinued, When I was at home, I per week, but they say the best in. R8 concluded, I did get a shower he first one I've had in quite a while. Other for R5, stated, Our call light but the light has been on for an y walked by, but no one has s down gesture), they do have a them to give (R5) a shower. I think as not great. I think they didn't have). (R1) didn't get a shower for a in a timely manner. The workers o the facility 3/12/22, was in the 022, provided by V2, Co-Director and 4/27/22, missing 6 of 10 o the facility 1/27/22, was in the R1's shower sheets for February ceived showers on 2/24/22, o months.

Printed: 02/22/2025 Form Approved OMB No. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 145439	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 05/03/2022	
NAME OF PROVIDER OR SUPPLIER Accolade Healthcare of Savoy		STREET ADDRESS, CITY, STATE, ZIP CODE 302 West Burwash Savoy, IL 61874		
(X4) ID PREFIX TAG	PREFIX TAG SUMMARY STATEMENT OF DEFIC		CIENCIES	
F 0725 Level of Harm - Minimal harm or potential for actual harm Residents Affected - Some			As scheduled for today but then is on the second floor. At 1:19 pm, rking on the MAR that the shower is be, especially for the nurses who extra shower on their shift. V21 iven. The sure the shower of ust click the ke sure the shower was done. If we p on the computer, and nobody s, If not contra-indicated, a shower s needed; if the resident refused, adequate staffing on each shift to assistants are available on each	