Department of Health & Human Services Centers for Medicare & Medicaid Services

Printed: 02/07/2025 Form Approved OMB No. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 676207	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 07/07/2010
NAME OF PROVIDER OR SUPPLIER The Colonnades at Reflection Bay		STREET ADDRESS, CITY, STATE, ZIP CODE 12001 Shadow Creek Parkway Pearland, TX 77584	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
	No health deficiencies found		
Level of Harm - Unknown			
Residents Affected - Unknown			

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

FORM CMS-2567 (02/99) Previous Versions Obsolete Event ID:

Facility ID: 676207

If continuation sheet Page 1 of 1